

DS-U02 2 MP Web Camera



- 2 MP CMOS
- High quality imaging with 1920 × 1080 resolution
- Min. illumination: 0.1 Lux @ (F1.2, AGC ON)
- AGC for self-adaptive brightness
- Built-in microphone with clear sound
- Type A interface, supporting USB 2.0 protocol.
Plug-and-play, no need to install driver software




▪ Specification

| Camera | |
|----------------------|--|
| Image Sensor | 2 MP CMOS |
| Signal System | PAL/NTSC |
| Frame Rate | MJPG: 1920 × 1080 @ 30/25 fps 1280 × 960 @ 30/25 fps 1280 × 720 @ 30/25 fps 640 × 480 @ 30/25 fps YUV: 1920 × 1080 @ 5 fps 1280 × 960 @ 5 fps 1280 × 720 @ 5 fps 640 × 480 @ 30 fps |
| Resolution | 1920 (H) × 1080 (V) |
| Min. Illumination | 0.1 Lux @ (F1.2, AGC ON) |
| Shutter Time | PAL: 1/25 s to 1/50,000 s; NTSC: 1/30 s to 1/50,000 s |
| Lens | 3.6 mm fixed focal lens |
| Field of View | horizontal FOV: 86°, vertical FOV: 55°, diagonal FOV: 95° |
| Lens Mount | M8 |
| Day & Night | 24/7 Color Imaging |
| Angle Adjustment | pan: 360°; tilt: -15° to 15°; rotation: 0° |
| Cable Length | 1.5 m |
| Depth of Field | 0.5 m to ∞ |
| Audio | |
| Audio Sampling Rate | 16 kHz |
| Interface | |
| Video Output | USB 2.0 |
| Audio In | Built-in mic |
| Operating System | Windows 7/10, Android, Linux, macOS |
| General | |
| Operating Conditions | -10°C to 45°C, Humidity: 90% or less (non-condensing) |
| Power Supply | DC 5V ± 5% (USB) |
| Consumption | Max. 1.2 W |
| Dimension | 80.16 mm × 48.6 mm × 42.18 mm (3.16" × 1.91" × 1.66") |
| Weight | Approx. 89 g (0.2 lb.) |
| Accessory | |
| Packing List | Camera × 1 Quick Start Guide × 1 |

▪ Available Model

DS-U02

▪ **Dimension**



Distributed by



HIKVISION®

Headquarters

No.555 Qianmo Road, Binjiang District,
Hangzhou 310051, China
T +86-571-8807-5998
overseasbusiness@hikvision.com

Hikvision USA
T +1-909-895-0400
sales.usa@hikvision.com

Hikvision Australia
T +61-2-8599-4233
salesau@hikvision.com

Hikvision India
T +91-22-28469900
sales@pramahikvision.com

Hikvision Canada
T +1-866-200-6690
sales.canada@hikvision.com

Hikvision Thailand
T +662-275-9949
sales.thailand@hikvision.com

Hikvision Europe
T +31-23-5542770
sales.eu@hikvision.com

Hikvision Italy
T +39-0438-6902
info.it@hikvision.com

Hikvision Brazil
T +55 11 3318-0050
Latam.support@hikvision.com

Hikvision Turkey
T +90 [216]521 7070- 7074
sales.tr@hikvision.com

Hikvision Malaysia
T +601-7652-2413
sales.my@hikvision.com

Hikvision UK & Ireland
T +01628-902140
sales.uk@hikvision.com

Hikvision South Africa
Tel: +27 (10) 0351172
sale.africa@hikvision.com

Hikvision France
T +33(0)1-85-330-450
info.fr@hikvision.com

Hikvision Kazakhstan
T +7-727-9730667
nikia.panfilov@hikvision.ru

Hikvision Vietnam
T +84-974270888
sales.vt@hikvision.com

Hikvision UAE
T +971-4-4432090
salesme@hikvision.com

Hikvision Singapore
T +65-6684-4718
sg@hikvision.com

Hikvision Spain
T +34-91-737-16-55
info.es@hikvision.com

Hikvision Tashkent
T +99-87-1238-9438
uzb@hikvision.ru

Hikvision Hong Kong
T +852-2151-1761
info.hk@hikvision.com

Hikvision Russia
T +7-495-669-67-99
saleru@hikvision.com

Hikvision Korea
T +82-(0)31-731-8817
sales.korea@hikvision.com

Hikvision Poland
T +48-22-460-01-50
info.pl@hikvision.com

Hikvision Indonesia
T +62-21-2933759
Sales.Indonesia@hikvision.com

Hikvision Colombia
sales.colombia@hikvision.com