Overview

HP ProBook 440 G5 Notebook PC



Front

- 1. Microphones (2)
- 2. Webcam
- 3. Webcam light
- 4. Fingerprint reader
- 5. Clickpad
- 6. Hard drive LED

- 7. SD Card reader
- 8. Headphone/microphone combo jack
- 9. USB 3.1 Gen 1 (power port)
- 10. Power button
- 11. Security lock slot (Lock sold separately)

Overview



Rear

- 1. Power connector
- 2. Ethernet port (RJ-R45)
- 3. External VGA monitor port

- 4. HDMI port (Cable not included.)
- 5. USB 3.1 Gen 1
- 6. USB Type-CTM port

Overview

At a Glance

- Preinstalled with Windows 10 versions or FreeDOS 2.0
- Choice of Intel® CoreTM processors
- Full size HP Premium Keyboard, spill-resistant keyboard with a thin layer of mylar film to prevent minor spills
- Function keys provide control of features including: standby mode, display brightness, external display, microphone mute, volume down, volume up, and backlight toggle for backlit keyboard (Select models only.)
- Large Clickpad with gestures support
- Enhanced security features with preinstalled software and hardware options
- Optional HD webcam with dual-microphone array for video conferencing ¹
- HDMI port for connecting to high-resolution displays
- Choice of displays
 - O 35.56 cm (14") diagonal FHD UWVA anti-glare flat LED backlit non-touch; 220 cd/m²; 45% sRGB (1920 x 1080),
 - 35.56 cm (14") diagonal HD SVA anti-glare LED-backlit non-touch; 220 cd/m²; 45% sRGB (1366 x 768)
 - O 35.56 cm (14") diagonal HD SVA LED-backlit touch; 220 cd/m²; 45% sRGB (1366 x 768)
- Flexible wireless connectivity options
- Battery life up 16 hours and 15minutes ((i3, HD with SSD)
- HP 3-cell, 48 WHr Li-ion battery
- Passed MIL-STD testing ²
- 1. Sold separately or as an optional feature.
- MIL-STD-810G testing is not intended to demonstrate fitness of U.S. Department of Defense (DoD) contract requirements or for military use. Test results are not a guarantee of future performance under these test conditions. Accidental damage requires an optional HP Accidental Damage Protection Care Pack.

NOTE: See important legal disclosures for all listed specs in their respective features sections.



PRODUCT NAMES

HP ProBook 440 G5 Notebook PC

OPERATING SYSTEMS

Preinstalled Windows 10 Pro 64 ¹

Windows 10 Pro 64 (National Academic License) 1,2

Windows 10 Home 64 1

Windows 10 Home Single Language 64 ¹

Windows 10 Home 64 (National Academic License) 1,2

FreeDOS 2.0

- 1. Not all features are available in all editions or versions of Windows. Systems may require upgraded and/or separately purchase hardware, drivers, software or BIOS update to take full advantage of Windows functionality. Windows 10 is automatically updated which is always enabled. ISP fees may apply and additional requirements may apply over time for updates. See http://www.windows.com/.
- 2. Some devices for academic use will automatically be updated to Windows 10 Pro Education with the Windows 10 Anniversary Update. Features vary; see https://aka.ms/ProEducation for Windows 10 Pro Education feature information.

PROCESSORS

Pentium 4415U Intel HD graphics (2.3GHz, 2MB L3 Cache 15W)

Intel® CoreTM i7-8550U Intel® UHD graphics 620 (1.8 GHz, up to 4.0 GHz with Intel® Turbo Boost Technology 2.0, 8 MB cache, 4 cores) ^{3,4,5}

Intel® CoreTM i7-7500U with Intel® HD Graphics 620 (2.7 GHz, up to 3.5 GHz with Intel® Turbo Boost Technology, 4 MB cache, 2 cores)^{3,4,5}

Intel® CoreTM i5-8350U Intel® UHD Graphics 620 (1.7 GHz, up to 3.6 GHz with Intel® Turbo Boost Technology 2.0, 6 MB cache, 4 cores)

Intel® CoreTMi5-8350U with Intel® HD Graphics 620 (1.7GHz/3.6GHz Quad Core Turbo, 6MB L3 Cache 15W)

Intel® CoreTM i5-8250U Intel® UHD Graphics 620 (1.6 GHz, up to 3.4 GHz with Intel® Turbo Boost Technology 2.0, 6 MB cache, 4 cores) ^{3,4,5}

Intel® CoreTM i3-8130U Intel® UHD Graphics 620 (2.2 GHz, up to 3.4 GHz with Intel® Turbo Boost Technology 2.0, 4 MB cache, 2 cores)

Intel® CoreTM i5-7200U with Intel® HD Graphics 620 (2.5 GHz, up to 3.1 GHz with Intel® Turbo Boost Technology 2.0, 3 MB cache, 2 cores)

Intel® CoreTM i5-7200U with Intel® HD Graphics 620 (2.5GHz/3.1GHz Single Core Turbo, 3MB L3 Cache 15W)

Intel® CoreTM i3-8130U with Intel® HD Graphics 620 (2.2GHz/3.4GHz Dual Core Turbo, 4MB L3 Cache 15W)

Intel® CoreTM i3-7100U with Intel® HD Graphics 620 (2.4 GHz, 3 MB cache, 2 cores) 3,4,5

Intel® CoreTM i3-7020U with Intel® HD Graphics 620 (2.3GHz, 3MB L3 cache 15W)

Intel® CoreTM i3-6006U with Intel® HD Graphics 520 (2 GHz, 3 MB cache, 2 cores) 3,4

Intel® Celeron® 3865U with Intel® HD Graphics (1.8 GHz, 2 MB cache, 2 cores) 3,4,5

Intel® Pentium® 4415U with Intel® HD Graphics (2.3 GHz, 2 MB cache, 2 cores)

Processors Family

Intel® Pentium Dual-CoreTM processor (Pentium 4415U model)

Technical Specifications

```
8th Generation Intel® Core<sup>TM</sup> i7 processor (i7-8550U model) <sup>5</sup>
8th Generation Intel® Core<sup>TM</sup> i5 processor (i5-8350U model)
8th Generation Intel® Core<sup>TM</sup> i5 processor (i5-8250U model) <sup>5</sup>
8th Generation Intel® Core<sup>TM</sup> i3 processor (i3-8130U model)
7th Generation Intel® Core<sup>TM</sup> i5 processor (i5-7200U model)
7th Generation Intel® Core<sup>TM</sup> i3 processor (i3-7100U, i3-7020U model)
7th Generation Intel® Core<sup>TM</sup> i3 processor (i3-6006U model)
7th Generation Intel® Core<sup>TM</sup> i7 processor (i7-7500U model)
Intel® Celeron® processor (3865U is Windows 10 only) <sup>5</sup>
Intel® Pentium® processor (4415U model)
```

- 3. Multicore is designed to improve performance of certain software products. Not all customers or software applications will necessarily benefit from use of this technology. Performance and clock frequency will vary depending on application workload ary your hardware and software configurations. Inte's numbering is not a measurement of higher performance.
- 4. Processor speed denotes maximum performance mode; processors will run at lower speeds in battery optimization mode.
- 5. **NOTE:** In accordance with Microsoft's support policy, HP does not support the Windows 8 or Windows 7 operating system on products configured with Intel and AMD 7th generation and forward processors or provide any Windows 8 or Windows 7 drivers http://www.support.hp.com.

CHIPSET

Integrated with processor

GRAPHICS

Integrated

Intel® UHD graphics 620 ⁶ Intel® HD graphics 620 ⁶ Intel® HD graphics 520 ⁶ Intel® HD graphics ⁶

Note: View processor section for details.

Discrete

NVIDIA® GeForce® 930MX (2 GB DDR3 dedicated, switchable) 7

Supports

Support HD decode, DX12, HDMI 1.4b

- 6. HD content required to view HD images.
- 7. NVIDIA® technology requires an Intel® processor, plus an NVIDIA® GeForce® discrete graphics configuration and is available on Windows 10 Professional OS. With NVIDIA® OptimusTM technology, full enablement of all discrete graphics video and display features may not be supported on all systems (e.g. OpenGL applications will run on the integrated GPU or the APU as the case mbe).



DISPLAYS

Internal

eDP FHD Flat

35.56 cm (14") diagonal FHD UWVA anti-glare flat LED backlit non-touch, 220 cd/m², 45% sRGB (1920 x 1080) ^{6,8}

eDP HD Flat

35.56 cm (14") diagonal HD SVA anti-glare LED-backlit non-touch, 220 cd/m 2 , 45% sRGB (1366 x 768) 6,8 35.56 cm (14") diagonal HD SVA LED-backlit touch, 220 cd/m 2 , 45% sRGB (1366 x 768) 6,8

Display Size

14"

35.56 cm (14")

- 6. HD content required to view HD images.
- 8. Resolutions are dependent upon monitor capability, and resolution and color depth settings.

Docking station model	Total number of supported displays (incl. the notebook display)	Max. resolutions supported	Dock Connect3ors	Technical limitations
HP UltraSlim Docking Station	3	Dual 2.5K @ 60Hz	2xDP, 1xVGA	Dual 2.5k only with both displays into DP
HP Thunderbolt Dock 120W G2	3	Dual 4k @60Hz	2xDP, 1xVGA, 1xTB,1xUSB-C alt-mode	Dual 4k only with one display in to DP and + TB port or USB-C alt mode + TB port
HP USB-C Dock G4	3	Dual 2K @ 60Hz Single 4K @ 60Hz (3840 x 1440)	1xHDMI, 2xDP	
HP USB-C Universal Dock	3	Dual 4K @ 60Hz Single 5K @ 60Hz	2xDP	
HP USB-C Travel Dock	2	Single 2K @ 60Hz	1xHDMI, 1xVGA	Single external display Only HDMI or VGA at the time
HP USB-C Mini Dock	2	Single 4K @ 30Hz	1xHDMI, 1xVGA	Single external display Only HDMI or VGA at the time

STORAGE AND DRIVES



Hard Drives

500 GB SATA (7200 rpm) ⁹ 500 GB (8 GB cache) SATA SSHD (5400 rpm) ⁹ 1 TB SATA (5400 rpm) ⁹

Primary M.2 Storage

16 GB Intel® OptaneTM Memory 128 GB M.2 SATA TLC SSD ⁹ 256 GB M.2 PCIe NVMe Value SSD ⁹ 512 GB M.2 PCIe NVMe TLC SSD ⁹

Note: PCIe SSD not available for Celeron

9. For storage drives, GB = 1 billion bytes. TB = 1 trillion bytes. Actual formatted capacity is less. Up to 30 GB (for Windows 10) is reserved for system recovery software.

MEMORY

16 GB DDR4-2400 SDRAM (1 x 16 GB) ¹⁰
16 GB DDR4-2400 SDRAM (2 x 8 GB) ¹⁰
12 GB DDR4-2400 SDRAM (4 and 8 GB) ¹⁰
8 GB DDR4-2400 SDRAM (1 x 8 GB) ¹⁰
8 GB DDR4-2400 SDRAM (2 x 4 GB) ¹⁰
4 GB DDR4-2400 SDRAM (1 x 4 GB) ¹⁰

Maximum

32 GB DDR4-2400 SDRAM 10

Memory Slots

2 SODIMM Both slots are customer accessible / upgradeable DDR4 PC4 SODIMMS, system runs at 2133 (Intel 8th Gen CPU runs at 2400) Supports Dual Channel Memory

10. Due to the non-industry standard nature of some third-party memory modules, we recommend HP branded memory to enscompatibility. If you mix memory speeds, the system will perform at the lower memory speed.

NETWORKING/COMMUNICATIONS



Wireless LAN (WLAN)

Realtek 802.11ac (1x1) WiFi and Bluetooth® 4.2 Combo ¹¹
Realtek 802.11ac (2x2) WiFi and Bluetooth® 4.2 Combo ¹¹
Intel® Dual Band Wireless-AC 3168 802.11 a/b/g/n/ac (1x1) Wi-Fi® and Bluetooth® 4.2 Combo (non-vProTM) ¹¹
Intel® Dual Band Wireless-AC 8265 802.11a/b/g/n/ac (2x2) WiFi® and Bluetooth® 4.2 Combo (non-vProTM) ¹¹

Broadband Wireless (WWAN)

HP lt4132 LTE/HSPA+ 4G Mobile Broadband ¹² HP lt4210 LTE/HSPA+ 4G Mobile Broadband ¹²

Ethernet

Realtek RTL8111HSH Gigabit Ethernet

11. Wireless access point and Internet service required and sold separately. Availability of public wireless access points limited. T specifications for the 802.11ac WLAN are draft specifications and are not final. If the final specifications differ from the draft specifications, it may affect the ability of the notebook to communicate with other 802.11ac WLAN devices.

12. WWAN module requires separately purchased service contract. Check with service provider for coverage and availability in your area. Connection speeds will vary due to location, environment, network conditions, and other factor 4G LTE not available on all products, in all regions.

AUDIO/MULTIMEDIA

Audio

2 Integrated stereo speakers Integrated dual array microphone

Webcam

HD webcam ^{6,13} HD IR webcam ^{6,13}

- 6. HD content required to view HD images.
- 13. Internet access required.

KEYBOARDS/POINTING DEVICES/BUTTONS & FUNCTION KEYS



Keyboard

HP Premium Keyboard Full-sized island-style, spill resistant

Pointing Device

Clickpad with multi-touch gesture support image sensor, taps enabled as default

Gestures

Enabled by default Win 10

2 Finger Scrolling

2 Finger Zoom (Pinch)

OSD (enable/disable)

3 finger tap = Cortana

3 finger flick = App switch

4 finger tap = Action Center

Disabled by default Win 10

3 Finger Flick

2 Finger Rotate

Momentum Motion

1 Finger Vertical Scroll

Function Keys

ESC: system information

F1 - Display Switching

F2 - Blank

F3 - Brightness Down

F4 - Brightness Up

F5 - Speaker Mute

F6 - Volume Down

F7 – Volume Up

F8 - Mic Mute

F9 - Backlight Toggle (for backlit keyboard) or Blank

F10 - NumLock

F11 - Wifi Toggle

F12 - Sleep

Hidden Fuctions

Fn+R = Break

Fn+S = Sys Rq

Fn+C = Scroll Lock

SOFTWARE AND SECURITY

BIOS

HP BIOSphere Gen4 14

HP DriveLock & Automatic DriveLock

BIOS Update via Network

Master Boot Record Security

Power On Authentication

Technical Specifications

Secure Erase¹⁵

Absolute Persistence Module¹⁶

Pre-boot Authentication

Software

HP Native Miracast Support 17

HP LAN-Wireless Protection

HP Wireless Wakeup

HP Connection Optimizer

HP 3D DriveGuard 6

HP ePrint + JetAdvantage 18

HP Hotkey Support

HP Recovery Manager

HP Jumpstart

HP Support Assistant 19

HP Noise Cancellation Software

Buy Office

Bing Search

Manageability Features

HP Driver Packs 20

HP System Software Manager

HP BIOS Config Utility (BCU)

HP Client Catalog

HP Management Integration Kit for Microsoft System Center Configuration Manager 21

LANDESK Management 22

Client Security Software

HP Client Security Suite Gen3 23 including:

HP Security Manager (including Credential Manager and Password Manager

HP DriveLock

HP Fingerprint Sensor

HP Password Manager 24

Microsoft Defender 25

TPM 2.0

- 14. HP BIOSphere Gen4 requires Intel® 7th or 8th Generation processors.
- 15. Secure Erase for the methods outlined in the National Institute of Standards and Technology Special Publication 800-88. Supported on Elite platforms with BIOS version F.O3 or higher.
- 16. Absolute agent is shipped turned off, and will be activated when customers activate a purchased subscription. Subscriptions can be purchased for terms ranging multiple years. Service is limited, check with Absolute for availability outside the U.S. The Absolute Recovery Guarantee is a limited warranty. Certain conditions apply. For full details visit: http://www.absolute.com/company/legal/agreements/ computrace-agreement. Data Delete is an optional service provided by Absolute Software. If utilized, the Recovery Guarantee is null and void. In order to use the Data Delete service, customers must first sign a Pre-Authorization Agreement and either obtain a PIN or



purchase one or more RSA SecurID tokens from Absolute Software.

- 17. Miracast is a wireless technology your PC can use to project your screen to TVs, projectors, and streaming media players that also support Miracast. You can use Miracast to share what you're doing on your PC and present a slide show. For more information: http://windows.microsoft.com/en-us/windows-8/project-wireless-screen-miracast
- 18. HP ePrint Drive requires an Internet connection to HP web-enabled printer and HP ePrint account registration (for a list of eligible printers, supported documents and image types and other HP ePrint details, see www.hp.com/go/eprintcenter). Print times and connection speeds may vary.
- 19. HP Support Assistant requires Windows and Internet access.
- 20. HP Driver Packs not preinstalled, however available for download at http://www.hp.com/go/clientmanagement.
- 21. HP Management Integration Kit can be downloaded from http://www8.hp.com/us/en/ads/clientmanagement/overview.html.
- 22. LANDESK Management subscription required.
- 23. HP Client Security Suite Gen3 requires Windows and Intel® or AMD 7th or 8th Generation processors.
- 24. HP Password Manager requires Internet Explorer or Chrome or FireFox. Some websites and applications may not be supported. User may need to enable or allow the add-on / extension in the internet browser.
- 25. Microsoft Defender Opt in and internet connection required for updates.

POWER

Power Supply

45 W HP Smart AC adapter ²⁶
45 W HP Smart AC adapter 2-prong (Japan only) ²⁶
65 W HP Smart AC adapter ²⁶
65 W EM Smart AC adapter ²⁶

Primary Battery

HP 3-cell, Long Life 48 WHr Li-ion ²⁷

Power Cord

2-wire plug - 1m (2-prong Japan only) ²⁶ 3-wire plug - 1m ²⁶ 3-wire plug - 1.8m ²⁶

Battery life

Up to 16 hours and 15minutes (i3, HD with SSD) ²⁸ Up to 15 hours (i5 guad core, HD with SSD) ²⁸

- 26. Availability may vary by country.
- 27. Battery is internal and not replaceable by customer. Serviceable by warranty.
- 28. Windows 10 MM14 battery life will vary depending on various factors including product model, configuration, loaded application features, use, wireless functionality, and power management settings. The maximum capacity of the battery will naturally decrease with time and usage. See www.bapco.com for additional details.

WEIGHTS & DIMENSIONS

Weight

Starting at 3.6 lb ²⁹ Starting at 1.63 kg ²⁹

Dimensions (w x d x h)

Non-touch

13.23 x 9.37 x 0.79 in 33.6 x 23.8 x 2 cm

Touch

13.23 x 9.37 x 0.85 in 33.6 x 23.8 x 2.15 cm

29. Weight will vary by configuration.

PORTS/SLOTS

1 USB 3.1 Type-CTM

2 USB 3.1 Gen 1 (1 powered port)

1 HDMI 1.4b 30

1 VGA

1 RJ-45

1 AC power

1 headphone/microphone combo jack

Expansion Slots

1 multi-format digital media reader Supports SD, SDHC, SDXC.

30. HDMI cable sold separately.

ENVIRONMENTAL & INDUSTRY

Environmental Data

Eco-Label Certifications & declarations

This product has received or is in the process of being certified to the following approvals and may be labeled with one or more of these marks:

- IT ECO declaration
- US ENERGY STAR®
- US Federal Energy Management Program (FEMP)
- EPEAT Gold registered in the United States. See http://www.epeat.net for registration status in your country. Search keyword generator on HP's 3rd part option store for solar energy accessory at http://www.hp.com/go/options.



System Configuration	The configuration used for the Energy Consumption and Declared Noise Emissions data for the Notebook model is based on a "Typically Configured Notebook"?.				
Energy Consumption (in accordance with US ENERGY STAR® test					
method)	115VAC, 60Hz	230VAC, 50I			
Normal Operation (Sort idle)	8.04 W	8.08 W	7.98 W		
Normal Operation (Long idle)	3.5 W	3.64 W	3.54 W		
<u>Sleep</u> Off	0.73 W 0.4 W	0.76 W 0.44 W	0.72 W 0.4 W		
	within the model family. HP co compliant with the applicable STAR® specifications for comp compliant configurations, ther	mputers marked U.S. Environment uters. If a model f n energy efficiency I disk drive, a high	TAR® compliant product if offered with the ENERGY STAR® Logo are tal Protection Agency (EPA) ENER family does not offer ENERGY STARY data listed is for a typically a efficiency power supply, and a		
Heat Dissipation*	115VAC, 60Hz	230VAC, 50I	Hz 100VAC, 50Hz		
Normal Operation	27 BTU/hr	28 BTU/hr			
Short idle)	27 610/111	27 B1U/nr 28 B1U/nr 27			
Normal Operation (Long idle)	12 BTU/hr	12 BTU/hr	r 12 BTU/hr		
Sleep	2 BTU/hr	3 BTU/hr 1 BTU/hr			
	*NOTE: Heat dissipation is calconservice level is attained for one		he measured watts, assuming th		
Declared Noise	Sound Power		Sound Pressure		
Emissions (in accordance with ISO 7779 and ISO 9296)	(L _{WAd} , bels)		(L _{pAm} , decibels)		
Typically Configured — Idle	2.5		15		
Fixed Disk – Random writes	2.5		14		
Longevity and Upgrading	This product can be upgraded, possibly extending its useful life by several years. Upgradeable features and/or components contained in the product may include: 3 USB ports 1 PC card slot (type I/II) 1 ExpressCard/54 slot 1 IEEE 1394 Port 2 SODIMM memory slots Optional expansion base docking station 1 multi-bay II storage port Interchangeable HDD??				



	years after the end of production.				
Batteries	This battery(s) in this product comply with EU Directive 2006/66/EC				
	Batteries used in the product do not contain:				
	Mercury gre	eater the1ppm by weight			
		reater than 20ppm by weight			
	Battery description: CR2032 (coin cell)				
	Battery type: Li	ithium			
	Battery description: 6-cell high capacity Lithium-Ion battery (optional available)				
	Battery type:				
	 Substances (RoHS) directive - 2011/65/EC. This HP product is designed to comply with the Waste Electrical and Electronic Equipment (WEEE) Directive – 2002/96/EC. This product is in compliance with California Proposition 65 (State of California; Safe Drinking Water and Toxic Enforcement Act of 1986). This product is in compliance with the IEEE 1680 (EPEAT) standard at the <gold> level, see www.epeat.net</gold> Plastics parts weighing over 25 grams used in the product are marked per ISO11469 and ISO1043. This product contains 0.0% post-consumer recycled plastic (by wt.) This product is 93.4% recycle-able when properly disposed of at end of life. 				
Packaging Materials	External:	PAPER/Paperboard	320 g		
	Internal:	PLASTIC/Polyethylene Expanded - EPE	48 g		
		PLASTIC/Polyethylene low density - LDPE	8 g		
	The plastic packaging material contains at least 0.0% recycled content. The corrugated paper packaging materials contains at least 80% recycled content.				
	This product does not contain any of the following substances in excess of regulator limits (refer to the HP General Specification for the Environment at http://www.hp.com/hpinfo/globalcitizenship/environment/pdf/gse.pdf): • Asbestos • Certain Azo Colorants • Certain Brominated Flame Retardants – may not be used as flame retardants plastics • Cadmium • Chlorinated Hydrocarbons • Chlorinated Paraffins • Formaldehyde • Halogenated Diphenyl Methanes • Lead carbonates and sulfates				

Technical Specifications

cifications	
	 Lead and Lead compounds Mercuric Oxide Batteries Nickel – finishes must not be used on the external surface designed to be frequently handled or carried by the user. Ozone Depleting Substances Polybrominated Biphenyls (PBBs) Polybrominated Biphenyl Ethers (PBBEs) Polybrominated Biphenyl Oxides (PBBOs) Polychlorinated Biphenyl (PCB) Polychlorinated Terphenyls (PCT) Polyvinyl Chloride (PVC) – except for wires and cables, has been voluntarily removed from most applications. Radioactive Substances Tributyl Tin (TBT), Triphenyl Tin (TPT), Tributyl Tin Oxide (TBTO)
Packaging Usage	 HP follows these guidelines to decrease the environmental impact of product packaging: Eliminate the use of heavy metals such as lead, chromium, mercury and cadmium in packaging materials. Eliminate the use of ozone-depleting substances (ODS) in packaging materials. Design packaging materials for ease of disassembly. Maximize the use of post-consumer recycled content materials in packaging materials. Use readily recyclable packaging materials such as paper and corrugated materials. Reduce size and weight of packages to improve transportation fuel efficiency. Plastic packaging materials are marked according to ISO 11469 and DIN 6120 standards.
End-of-life Management and Recycling	Hewlett-Packard offers end-of-life HP product return and recycling programs in many geographic areas. To recycle your product, please go to: http://www.hp.com/go/reuse-recycle or contact your nearest HP sales office. Products returned to HP will be recycled, recovered or disposed of in a responsible manner. The EU WEEE directive (2002/95/EC) requires manufacturers to provide treatment information for each product type for use by treatment facilities. This information (product disassembly instructions) is posted on the Hewlett Packard web site at: http://www.hp.com/go/recyclers. These instructions may be used by recyclers and other WEEE treatment facilities as well as HP OEM customers who integrate and re-sell HP equipment.
HP, Inc. Corporate Environmental Information	For more information about HP's commitment to the environment: Global Citizenship Report http://www.hp.com/hpinfo/globalcitizenship/gcreport/index.html Eco-label certifications http://www8.hp.com/us/en/hp-information/environment/ecolabels.html ISO 14001 certificates: http://h20195.www2.hp.com/V2/GetDocument.aspx?docname=c04755842



http://www.hp.com/hpinfo/globalcitizenship/environment/pdf/cert.pdf

SERVICE AND SUPPORT

3 year and 1 year limited warranties and 90-day software limited warranty options depending on country. Batteries have a default one year limited warranty except for Long Life batteries which will have same 1-year or 3-year limited warranty as the platform. On-site service and extended coverage is also available. HP Care Pack Services are optional extended service contracts that go beyond the standard limited warranties. To choose the right level of service for your HP product, use the HP Care Pack Services Lookup Tool at http://www.hp.com/go/cpc 31

31. HP Care Packs are sold separately. Service levels and response times for HP Care Packs may vary depending on your geographic location. Service starts on date of hardware purchase. Restrictions and limitations apply. For details, visit www.hp.com/go/cp HP services are governed by the applicable HP terms and conditions of service provided or indicated to Customer at the time of purchase. Customer may have additional statutory rights according to applicable local laws, and such rights are not in any way affected by the HP terms and conditions of service or the HP Limited Warranty provided with your HP Product.

CERTIFICATION AND COMPLIANCE

ENERGY STAR® certified EPEAT® Gold ³² Low halogen ³³

- 32. EPEAT® registered where applicable. EPEAT registration varies by country. See http://www.epeat.net for registration status by country. Search keyword generator on HP's 3rd party option store for solar generator accessories at www.hp.com/go/options.
- 33. External power supplies, power cords, cables and peripherals are not Low Halogen. Service parts obtained after purchase may n be Low Halogen.

SYSTEM UNIT

Stand-Alone Power Requirements (AC Power)

Nominal Operating Voltage 19V
Average Operating Power Win 10
Integrated graphics 5.71W
Discrete Graphics 6.78W

Discrete < 65W

Max Operating Power UMA < 45W

Temperature

Technical Specifications

Operating 32° to 95° F (0° to 35° C)

Non-operating -4° to 140° F (-20° to 60° C)

Relative Humidity

Operating 10% to 90%, non-condensing

Non-operating 5% to 95%, 101.6° F (38.7° C) maximum wet bulb temperature

Shock

Operating 40 G, 2 ms, half-sine Non-operating 200 G, 2 ms, half-sine

Random Vibration

Operating 0.75 grms Non-operating 1.50 grms

Altitude (unpressurized)

Operating -50 to 10,000 ft (-15.24 to 3,048 m)
Non-operating -50 to 40,000 ft (-15.24 to 12,192 m)

Planned Industry Standard

Certifications

UL Yes
CSA Yes
FCC Compliance Yes

ENERGY STAR 7.0® Selected models [34]

EPEAT Registered Gold in United States [32]

ICES Yes
Australia / Yes
NZ A-Tick Compliance Yes
CCC Yes

Japan VCCI Compliance

Yes
KC Yes
BSMI Yes

CE Marking Compliance

BNCI or BELUS Yes

CIT Yes GOST Yes

Saudi Arabian Compliance (ICCP)

Yes

SABS Yes UKRSERTCOMPUTER Yes

32. EPEAT® registered where applicable. EPEAT registration varies by country. See http://www.epeat.net for registration status by country. Search keyword generator on HP's 3rd party option store for solar generator accessories at www.hp.com/go/options.

34. Configurations of the HP ProBook 440 G4 is ENERGY STAR® qualified are identified as HP ProBook 440 G4 ENERGY STAR on HP websites and on http://www.energystar.gov.



DISPLAYS

Note: All specifications represent the typical specifications provided by HP's component manufacturers; actual performance may vary either higher or lower.

14" diagonal FHD UWVA anti-glare flat LED backlit non-touch; 220 cd/m²; 45% sRGB (1920 x 1080)
 Outline Dimensions (W x H)
 320.9x205.6 (max)

 Active Area
 309.31 x 173.99

Weight 290 max.

Diagonal Size 14 (inch)

Thickness 3.0mm max

Interface eDP 1.2

LCD Mode IPS

PPI

Surface Treatment Anti-Glare (AG)

Touch Enabled None

Contrast Ratio 600:1 (typ) - AG

Refresh Rate 60Hz
Brightness 220 nits

Pixel Resolution 1920 x 1080 (FHD)

Format RGB
Backlight LED
Color Gamut Coverage 45%

Color Depth6 bits + Hi FRCViewing AngleUWVA 85/85/85/85

Technical Specifications

14" diagonal HD SVA antiglare LED-backlit nontouch; 220 cd/m²; 45% sRGB (1366 x 768)
 Outline Dimensions (W x H)
 320.9 x 205.6 (mm) max

 Active Area
 309.40 x 173.95 (mm)

Weight 290 g max
Diagonal Size 14 (inch)
Thickness 3.0 (mm) max
Interface eDP 1.2
LCD Mode TN

PPI

Surface Treatment Anti-Glare (AG)

Touch Enabled None

Contrast Ratio 300:1 (typical)

Refresh Rate 60 Hz Brightness 220 nits

Pixel Resolution 1366 x 768 (HD)

Format RGB

Backlight LED

Color Gamut Coverage 45%

Color Depth 6 bits + Hi FRC **Viewing Angle** SVA 40/40/15/30

14" diagonal HD SVA LEDbacklit touch; 220 cd/m²; 45% sRGB (1366 x 768) Outline Dimensions (W x H x D) 320.9 x 205.6 (mm) max

Active Area 309.40 x 173.95 (mm)

Weight 290 g max
Diagonal Size 14 (inch)
Thickness 3.0 (mm) max

Interface eDP 1.2
LCD Mode TN

PPI

Surface Treatment

Touch Enabled Yes

Contrast Ratio 300:1 (typical)

Refresh Rate 60 Hz Brightness 220 nits

Pixel Resolution 1366 x 768 (HD)

Format RGB

Backlight LED

Color Gamut Coverage 45%

Color Depth 6 bits + Hi FRC
Viewing Angle SVA 40/40/15/30

STORAGE AND DRIVES

Hard Drives

500 GB 7200 rpm SATA Hard Drive Weight

Drive

rive Weight 0.01 lb (6 g) ~ 0.02 lb (10 g)

Rotation Speed 5400 rpm

Cache Buffer Up to 16MB

NAND Type/Size 0.28 in (7 mm)

Height 2.75 in (69.85 mm)

Width ATA-8, SATA 3.0

Interface 600 MB/s

Transfer Rate 0.01 lb (6 g) ~ 0.02 lb (10 g)

Seek Time

 Single Track
 1.5 ~ 2 ms

 Average
 11 ~ 13 ms

 Maximum
 18 ~ 22 ms

 Logical Blocks
 976,773,168

 Operating Temperature
 976,773,168

Security Features 32° to 158°F (0° to 70°C) [ambient temp]

Other Features ATA Security, NCQ

500 GB* 5400 rpm SMART SATA Hybrid HDD/SSHD

Drive Weight 0.20 lbs (92 g) ~ 0.21 lbs (95 g)

Rotation Speed 5400 rpm

Cache Buffer 64 MB

NAND Type/Size TLC/8GB

Height 0.28 in (7 mm)

Width 2.75 in (69.85 mm)

Interface ATA-8, SATA 3.0

Interface Transfer Rate 600 MB/s

Seek Time

 Single Track
 2 ~ 1.5 ms;

 Average
 11 ~ 13 ms

 Maximum
 18 ~ 22 ms

 Logical Blocks
 976,773,168

 Operating Temperature
 976,773,168

Security Features 32° to 158°F (0° to 70°C) [ambient temp]

Other Features ATA Security, NCQ

Technical Specifications

500 GB* 5400 rpm SMART SATA Hybrid HDD/SSHD **Drive Weight** 0.20 lbs (92 g) ~ 0.21 lbs (95 g)

Rotation Speed 5400 rpm

Cache Buffer 64 MB

NAND Type/Size TLC/8GB

Height 0.28 in (7 mm)

Width 2.75 in (69.85 mm)

Interface ATA-8, SATA 3.0

Interface Transfer Rate 600 MB/s

Seek Time

 Single Track
 2 ~ 1.5 ms;

 Average
 11 ~ 13 ms

 Maximum
 18 ~ 22 ms

 Logical Blocks
 976,773,168

 Operating Temperature
 976,773,168

Security Features 32° to 158°F (0° to 70°C) [ambient temp]

Other Features ATA Security, NCQ

1TB* 5400 rpm 7mm SATA Hard Drive Drive Weight0.21 lbs (94 g)Rotation Speed5400 rpmCache BufferUp to 32 MB

NAND Type/Size N/A

 Height
 0.28 in (7.2 mm)

 Width
 2.75 in (69.85 mm)

 Interface
 ATA-8, SATA 3.0

Interface Transfer Rate 600 MB/s

Seek Time

Single TrackSingle Track2 msAverageAverage12 ~ 13 msMaximumMaximum18 ~ 22 ms

Logical Blocks 1,953,525,168

Operating Temperature 32° to 140° F (0° to 60° C) [top cover temp]

Security Features ATA Security

Other Features S.M.A.R.T., NCQ, Ultra DMA

Solid State Drives



128GB 2280 M2 SATA-3 TLC Form Factor Solid State Drive

Form Factor M.2 2280
Capacity 128 GB
NAND Type TLC

 Height
 0.09 in (2.3 mm)

 Width
 0.87 in (22 mm)

 Weight
 0.02 lb (10 g)

 Interface
 ATA-8, SATA 3.0

 Maximum Sequential Read
 Up To 520 MB/s

 Maximum Sequential Write
 Up To 450 MB/s

 Logical Blocks
 250,069,680

Operating Temperature 32° to 158°F (0° to 70°C) [ambient temp]

Features DIPM; TRIM; DEVSLP

256GB 2280 M2 SATA-3 Value Solid State Drive

Form Factor M.2 2280
Capacity 256 GB
NAND Type TLC

 Height
 0.09 in (2.3 mm)

 Width
 0.87 in (22 mm)

 Weight
 0.02 lb (10 g)

 Interface
 PCIe NVMe Gen3X4

 Maximum Sequential Read
 Up To 1700 MB/s

 Maximum Sequential Write
 Up To 600 MB/s

 Logical Blocks
 500,118,192

Operating Temperature 32° to 158°F (0° to 70°C) [ambient temp]

Features "TRIM; L1.2

512GB 2280 M2 PCIe NVMe TLC Solid State Drive

Form Factor M.2 2280
Capacity 512 GB
NAND Type TLC

 Height
 0.09 in (2.3 mm)

 Width
 0.87 in (22 mm)

 Weight
 0.02 lb (10 g)

 Interface
 PCIe NVMe Gen3X4

 Maximum Sequential Read
 Up To 2600 MB/s

 Maximum Sequential Write
 Up To 1400 MB/s

 Logical Blocks
 1,000,215,216

Operating Temperature 32° to 158°F (0° to 70°C) [ambient temp]

Features TRIM; L1.2



NETWORKING/COMMUNICATIONS

WWAN

HP lt4132 LTE/HSPA+ 4G Technology/Operating **Mobile Broadband**

Module¹

bands

LTE: 2100 (Band 1), 1900 (Band 2), 1800 (Band 3) MHz. 850 (Band 5), 2600 (Band 7), 900 (Band 8) MHz.

800 (Band 20), 700 (Band 28) MHz.

HSPA+: 2100 (Band 1), 1900 (Band 2), 850 (Band 5), 900 (Band 8) MHz E-GPRS: 1900 (Band 2), 1800 (Band 3), 850 (Band 5), 900 (Band 8) MHz

Wireless protocol

standards

3GPP Release 10 LTE Specification CAT.4. 20MHz BW WCDMA R99, 3GPP Release 5, 6, 7 and 8 UMTS Specification

E-GPRS: Class B, Multi-slot class 12, coding schemes CS1 - CS4

and MSC1 - MSC9

GPS Standalone, A-GPS (MS-B and LTO)

GPS bands 1575.42 MHz ± 1.023 MHz, GLONASS 1596-1607MHz

Maximum data rates LTE: 150 Mbps (Download), 50 Mbps (Upload)

> DC-HSPA+: 42 Mbps (Download), 5.76 Mbps (Upload) HSPA+: 21Mbps (Download), 5.76 Mbps (Upload) EDGE: 236.8 kbps (Download), 236.8 kbps (Upload) GPRS: 85.6 kbps(Download), 85.6 kbps (Upload)

Maximum output power

LTE: 23 dBm HSPA+: 23.5 dBm

E-GPRS 1900/1800: 26 dBm E-GPRS 900/850: 27 dBm GPRS 1900/1800: 29.5 dBm GPRS 900/850: 32.5 dBm

Maximum power consumption

LTE: 1,200 mA (peak); 900 mA (average) HSPA+: 1,100 mA (peak); 800 mA (average) E-GPRS: 2,600 mA (peak); 500 mA (average)

Form Factor M.2, 3042-S3 Key B

Weight 6 q

Dimensions 42 x 30 x 2.3 mm

(Length x Width x Thickness)

1. Mobile Broadband is an optional feature. Connection requires wireless data service contract, network support, and is not available in all areas. Contact service provider to determine the coverage area and availability. Connection speeds will vary due to location, environment, network conditions, and other factors. 4G LTE not available on all products or in all countries.

Technical Specifications

HP lt4210 LTEHSPA+ 4G Mobile Broadband

Module¹

Technology/Operating

bands

FDD LTE:

LTE: 2100 (Band 1), 1900 (Band 2), 1800 (Band 3), 1700 (Band 4),

850 (Band 5), 2600 (Band 7), 900 (Band 8), 1400 (Band 11), 700 (Band 12), 700

(Band 13)

700 (Band 17), 850 (Band 18), 850 (Band 19), 800 (Band 20), 1450 (Band 21),

850 (Band 26)

700 (Band 28) MHz. 700 (Band 29) . 2300 (Band 30) . 2100 (Band 66) MHz

TDD LTE:

2600 (Band 38), 1900 (Band 39), 2300 (Band 40), 2500 (Band 41) MHz

HSPA+: 2100 (Band 1), 1900 (Band 2), 1700 (Band 4), 850 (Band 5), 900 (Band 8

MHz

Wireless protocol

standards

3GPP Release 11 LTE Specification CAT.9, MAX 60MHz aggregation BW

WCDMA R99, 3GPP Release 5, 6, 7 and 8 UMTS Specification

GPS Standalone, A-GPS (MS-B and LTO)

GPS bands GPS 1575.42 MHz ± 1.023 MHz, GLONASS 1596-1607MHz, Beidou 1561.098 ±

2.046 MHz

Maximum data rates LTE: 450 Mbps (DL 3CA), 50 Mbps (Upload)

DC-HSPA+: 42 Mbps (Download), 5.76 Mbps (Upload) HSPA+: 21 Mbps (Download), 5.76 Mbps (Upload)

Maximum output power LTE: 23 dBm

HSPA+: 23.5 dBm

Maximum power consumption

LTE: 1,200 mA (peak); 900 mA (average) HSPA+: 1,100 mA (peak); 800 mA (average)

Form Factor M.2, 3042-S3 Key B

Weight 6 g

Dimensions 42 x 30 x 2.3 mm

(Length x Width x Thickness)

 Mobile Broadband is an optional feature. Connection requires wireless data service contract, network support, and is not available in all areas. Contact service provider to determine the coverage area and availability. Connection speeds will vary due to location, environment, network conditions, and other factors. 4G LTE not available on all products or in all countries.

POWER

Technical Specifications

HP 45W Smart AC Adapter **Dimensions (H x W x D)** 3.74 x 1.57 x 1.04 in (9.5 x 4.0 x 2.65 cm)

 Weight
 0.386 lb (175g) max

 Input
 90 to 265 VAC

Input Efficiency 87.74% at 115Vac and 88.4% at 230Vac

Input frequency range 47 to 63 Hz
Input AC current 1.4 A at 90 VAC

Output Output power 45W

DC output 19.5V

Hold-up time 5 msec at 115 VAC input

Output current limit <8.0A

Connector 4.5mm Barrel Type, 3 pin/grounded, mates with interchangeable cords

Environmental Design Operating 32° to 95° F (0° to 35° C)

temperature

Non-operating (storage) -4° to 185° F (-20° to 85° C)

temperature

Altitude 0 to 16,400 ft (0 to 5,000 m)

Humidity 20% to 95% Storage Humidity 10% to 95%

EMI and Safety Certifications *CE Mark - full compliance with LVD and EMC directives

* Worldwide safety standards - IEC60950, EN60950, UL60950, Class1, SELV Agency approvals - C-UL-US, NORDICS, DENAN, EN55022 Class B, FCC Class

B, CISPR22 Class B, CCC, NOM-1 NYCE.

* MTBF - over 200,000 hours at 25°C ambient condition.

HP 65W AC Adapter

Dimensions 4.25 x 1.85 x 1.47 in (10.8 x 4.7 x 3.74 cm)

 Weight
 1.81 lb (250g) max

 Input
 100 to 240 VAC

Input Efficiency 88% min at 115 VAC and 89% min at 230 VAC

Input frequency range 47 to 63 Hz
Input AC current 1.7 A at 90 VAC

Output Output power 65W

DC output 19.5V

Hold-up time 5 msec at 115 VAC input

Output current limit <11A, Over voltage protection- 29V max

automatic shutdown

Connector 4.5mm Barrel Type, 3 pin/grounded, mates with interchangeable cords

Environmental Design Operating 32° to 104° F (0° to 40° C)

temperature

Non-operating (storage) -4° to 149° F (-20° to 65° C)

temperature

Altitude 0 to 10,000 ft (0 to 3,048 m)

Humidity 20% to 80% Storage Humidity 10% to 90%



EMI and Safety Certifications *CE Mark - full compliance with LVD and EMC directives

* Worldwide safety standards - IEC60950, EN60950, UL60950, Class1, SELV Agency approvals - C-UL-US, NORDICS, DENAN, EN55022 Class B, FCC Class

B, CISPR22 Class B, CCC, NOM-1 NYCE.

* MTBF - over 200,000 hours at 25°C ambient condition.

HP 3-cell, Long Life 48 WHr Li-ion **Dimensions** $(H \times W \times L)$

7.0. x180.48x88.95 mm

(0.273 x 7.09 x 3.49 inch)

Weight 0.22 kg (0.48lb)

Cells/Type 3cell Lithium-Ion

Energy Voltage 11.4V/ 10.95V

Amp-hour capacity 4.212Ah /4.385Ah

Watt-hour capacity 48Wh

Temperature Operating (Charging) 32° to 113° F (0° to 45° C)

Operating (Discharging) 14° to 122° F (-10° to 60° C)

Non-operating -4° to 122° F (-20° to 60° C)

Battery Re-Charge Time System in OFF or Standby <3 hours

Mode

No

Fuel Gauge LED No

Warranty 3-years¹

Optional Travel Battery

Available

1. Batteries have a default one year limited warranty except for Long Life batteries which will have same 1-year or 3-year limited warranty as the platform.

Country of Origin

China

Options and Accessories (sold separately and availability may vary by country)

Туре	Decription	Part Number
Cases	HP Essential Top Load Case	H2W17AA
	HP Essential Backpack	H1D24AA
	HP Essential Messenger Case	H1D25AA
Dockings	HP USB-C Dock G4	3FF69AA
	HP USB-C Mini Dock	1PM64AA
	HP 3005pr USB3 Port Replicator	Y4H06AA
	HP Thunderbolt Dock 120W G2	2UK37AA
	HP USB-C Travel Dock	TOK29AA
	HP USB Travel Dock	TOK30AA
	HP Elite USB-C Dock G3	2DW60AA
	HP USB-C Mini Dock	1PM64AA
	HP USB-C Universal Dock	1MK33AA
Input/Output	HP Slim USB Keyboard and Mouse	T6T83AA
	HP Slim Wireless Keyboard and Mouse	T6L04AA
	HP Ultra Mobile Wireless Mouse	H6F25AA
	HP Comfort Grip Wireless Mouse	H2L63AA
	HP 3-Button USB Laser Mouse	H4B81AA
	HP USB Travel Mouse	G1K28AA
	HP HDMI to DVI Adapter	F5A28AA
	HP USB-C to DP	N9K78AA
	HP USB-C to USB-A Hub	Z6A00AA
	HP Stereo 3.5mm Headset	T1A66AA
	HP Stereo USB Headset	T1A67AA
Memory	HP 4GB 2400MHz DDR4 Memory	Z4Y84AA
•	HP 8GB 2400MHz DDR4 Memory	Z4Y85AA
	HP 16GB 2400MHz DDR4 Memory	Z4Y86AA
Power	HP 45W Smart AC Adapter 4.5mm	H6Y88AA
	HP 65W Smart AC Adapter	H6Y89AA
	HP 65W Slim AC Adapter	H6Y82AA
	HP 45W USB-C Power Adapter	1HE07AA
	HP 65W USB-C Power Adapter	1HE08AA
	HP Power Bank	N9F71AA
	HP USB-C Notebook Power Bank	1TZ86AA
	HP Notebook Power Bank	N9F71AA
Storage	HP External USB Optical Drive	F2B56AA
	HP 500GB 7200rpm HDD	F3B97AA
	HP External Portable USB3.0 HDD	К6А9ЗАА
	HP 256GB Value 2280 M.2 SATA3 SSD	1DE47AA

Options and Accessories (sold separately and availability may vary by country)

options and r	iceessories (sold separately and availability may vary by country)	
	HP 512GB TLC PCI-e 3x4 NVMe M.2 SSD	1FU88AA
Security	HP Essential Combination Lock	TOY16AA
	HP Combination Lock	TOY15AA
	HP Keyed Cable lock	TOY14AA
	HP Keyed Cable Lock 10mm	T1A62AA
UCC	HP Conferencing Keyboard	K8P74AA
	HP USB Collaboration Keyboard	Z9N38AA
	HP Wireless Collaboration Keyboard	Z9N39AA
	HP UC Wireless Mono Headset	W3K08AA
	HP UC Wireless Duo Headset	W3K09AA
	HP UC Speaker Phone	K7V16AA
	HP UC Wired Headset	K7V17AA
Displays	HP EliteDisplay S140u USB Portable Monitor	G8R65AA
	HP ProDisplay P240VA 23.8-inch Monitor	N3H14AA
	HP ProDisplay P232 23-inch Monitor	K7X31AA
	HP ProDisplay P223 21.5-inch Monitor	X7R61AA
	HP EliteDisplay E230t 23-inch Touch Monitor	W2Z50AA
	HP EliteDisplay E240c 23.8-inch Collaboration Monitor	M1P00A8



Summary of Changes

Date of change:	Version History:		Description of change:
August 22, 2017	From V1 to V2	Update	Change battery life TBD
September 7, 2017	From v2 to v3	Update	Change battery life to current
October 6, 2017	From v3 to v4	Update	TPM 2.0 added to Client Security Software section
December 20, 2017	From v4 to v5	Update	HP Elite USB-C Dock removed from options
December 21, 2017	From v5 to v6	Update	Backlit keyboard available as an option
February 13, 2018	From v6 to v7	Update	Anti-glare (AG) removed from touch panel in Displays section
February 22, 2018	From v7 to v8	Update	HP Elite USB-C Docking Station (X7W54AA) removed from options section
April 5, 2018	From V8 to V9	Update	Processors added to Processors and processors family
			Dockings updated in options section
April 18, 2018	From V9 to V10	Update	At a glance section part 13
May 4, 2018	From V10 to V11	Update	Environmental
May 24, 2018	From V11 to V12	Update	Processor section updated
May 29, 2018	From V12 to V13	Update	Warranty
June 4, 2018	From V13 yo V14	Update	Processors section
July 6, 2018	From V14 to V15	Update	Energy star, Hard drives
August 15, 2018	From V15 to V16	Update	Software Velocity and change the first image
September 5, 2018	From V16 to V17	Update	Processors and Docking section

Copyright © 2018 HP Development Company, L.P. The only warranties for HP products are set forth in the express limited warranty statements accompanying such products. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

Bluetooth is a trademark of its proprietor and used by HP Inc. under license. Intel, Core, Celeron and Intel vPro are trademarks of Intel Corporation or its subsidiaries in the U.S. and/or other countries. NVIDIA, the NVIDIA logo, and GeForce are trademarks and/or registered trademarks of NVIDIA Corporation in the U.S. and other countries. USB Type-CTM and USB-CTM are trademarks of USB Implementers Forum. ENERGY STAR is a registered trademark of the U.S. Environmental Protection Agency. All other trademarks are the property of their respective owners.