

MEJOR VENDIDO



PUR6ASD04BU-CG

Cable de cobre

El cable de cobre es de categoría 6A SD (Riser CMR) UTP, 4 pares con conductores que son de construcción 26 AWG con aislamiento de PVC ignífugo. El cable está trenzado por pares, separado por un divisor de pares integrado, rodeado por una cinta MaTriX pendiente de patente, y protegido por una chaqueta de PVC ignífuga de bajo humo. Es ideal para instalaciones de hasta 70 metros y es el cable UTP Categoría 6A de diámetro más pequeño en el mercado a 0,24 (6,1 mm). Es azul y tiene 1000 '(305 m) de largo.



Presupuesto


Longitud total (pies)	1000
Largo total (m)	305
Material de la chaqueta	Cloruro de polivinilo
Calibre del conductor (AWG)	26
Diámetro nominal (pulg.)	0.24
Diámetro nominal (mm)	6.1
Diámetro de aislamiento (pulg.)	0.02
Cantidad de pares	4
Sub marca	PanNet
Temperatura de instalación máxima (° F)	140
Tipo de paquete	Carrete



Color	Azul
Grado de inflamabilidad	Elevador (CMR)
Longitud (pies)	1000
Temperatura de funcionamiento	-20 ° C a 75 ° C (-4 ° F a 167 ° F)
Solicitud	Interior
Tipo de cable	U / UTP
Diámetro máximo del aislamiento del alambre (mm)	0.7
Nota	Disponible en Norte y Latinoamérica
Características de la parte	Interoperable, tecnología MaTriX, garantía superior de espacio libre, diámetro de cable más pequeño que la mayoría de los cables de categoría 6 y diseño flexible redondo y rango de temperatura extendido
Nivel de desempeño	Categoría 6A
Estado de conformidad RoHS	Obediente
Min. Cantidad.	27,000












detalles del empaque


UPC	07498333162
Std. Pkg. Qty.	1000
Std. Pkg. Volumen (cf)	1.7303
Std. Ctn. Qty.	27000
Std. Ctn. Volumen (cf)	46.7194

Recursos

Garantía del sistema	Plataforma de espacio libre en la categoría 6A: COFL20 - WW-ENG US English PDF 2.19MB (/content/dam/panduit/en/products/assets/p/pu/pur/pur6/pur6asd04bucg/media/D-COFL20--WW-ENG-Cat6AUPHdrm)
	 (/content/dam/panduit/en/products/assets/p/pu/pur/pur6/pur6asd04bucg/media/D-COFL20--WW-ENG-Cat6AUPHdrmWarrant)

Videos	Benefits of Category 6A Small Diameter UTP Copper Cable with MaTriX Technology	US English	MP4	149.57MB (/content/dam/panduit/en/products/assets/p/pu/pur/pur6/pur6asd04bucg/media/M-COTX6A-Cabling-System--169-ENG.mp4)
Catalogs	Preferred Parts Catalog for Latin America-ENG	US English	PDF	6.26MB (/content/dam/panduit/en/products/assets/p/pu/pur/pur6/pur6asd04bucg/media/D-NCCB63--WW-ENG-EnterPrefPartsl (/content/dam/panduit/en/products/assets/p/pu/pur/pur6/pur6asd04bucg/media/D-NCCB63--WW-ENG-EnterPrefPartsLATAM-V
Selection Guides	TX6A 10Gig UTP Copper Cabling System: COSG03--SA-ENG	US English	PDF	191.50KB (/content/dam/panduit/en/products/assets/p/pu/pur/pur6/pur6asd04bucg/media/D-COSG03--SA-ENG-TX6A10GigUT (/content/dam/panduit/en/products/assets/p/pu/pur/pur6/pur6asd04bucg/media/D-COSG03--SA-ENG-TX6A10GigUTPSystem.p
Product Bulletins	TX6A-SD 10Gig UTP Copper Cabling System: COCB07--SA-ENG	US English	PDF	5.08MB (/content/dam/panduit/en/products/assets/p/pu/pur/pur6/pur6asd04bucg/media/D-COCB07--SA-ENG-Cat6A-SD-Cop-C (/content/dam/panduit/en/products/assets/p/pu/pur/pur6/pur6asd04bucg/media/D-COCB07--SA-ENG-Cat6A-SD-Cop-Cabl-Sys
Installation Documents	Panduit Tx6a™ 10gig™ Copper Cabling System Testing Procedures	US English	PDF	359.07KB (/content/dam/panduit/en/products/assets/p/pu/pur/pur6/pur6asd04bucg/media/N-COPN524--REVB--ENG.pdf) (/content/dam/panduit/en/products/assets/p/pu/pur/pur6/pur6asd04bucg/media/N-COPN524--REVB--ENG.pdf) 
Technology Briefs	Color-Coding Considerations for Identification of Horizontal Cabling: COTB09--WW-ENG	US English	PDF	687.42KB (/content/dam/panduit/en/products/assets/p/pu/pur/pur6/pur6asd04bucg/media/D-COTB09--WW-ENG-NetworkInfra (/content/dam/panduit/en/products/assets/p/pu/pur/pur6/pur6asd04bucg/media/D-COTB09--WW-ENG-NetworkInfraColorCodin
Catalogs	Preferred parts for network infrastructure	US English	PDF	1.66MB (/content/dam/panduit/en/products/assets/p/pu/pur/pur6/pur6asd04bucg/media/D-NCCB91--SA-ENG-PrefPartsEntDCN (/content/dam/panduit/en/products/assets/p/pu/pur/pur6/pur6asd04bucg/media/D-NCCB91--SA-ENG-PrefPartsEntDCNetworkli
Certifications	ETL 4 Connector Channel Report of Test Certificate (PUR6ASD04)	US English	PDF	45.86KB (/content/dam/panduit/en/products/assets/p/pu/pur/pur6/pur6asd04bucg/media/ETL%20%20Connector%20Channel%20Report%20of (/content/dam/panduit/en/products/assets/p/pu/pur/pur6/pur6asd04bucg/media/ETL%20%20Connector%20Channel%20Report%20c
Installation Documents	TX6A and TX6A-SD 10Gig UTP Copper Cabling System with MaTriX Technology: PN390B	US English	PDF	409.76KB (/content/dam/panduit/en/products/assets/p/pu/pur/pur6/pur6asd04bucg/media/PN390B.pdf) (/content/dam/panduit/en/products/assets/p/pu/pur/pur6/pur6asd04bucg/media/PN390B.pdf) 

Specification Sheets	TX6A-SD 10Gig UTP Copper Cable with MaTriX Technology: COSP289--WW-ITA	US English	PDF 108.25KB (/content/dam/panduit/en/products/assets/p/pu/pur/pur6/pur6asd04bucg/media/D-COSP289--WW-ITA-TX6ASD10G)	 (/content/dam/panduit/en/products/assets/p/pu/pur/pur6/pur6asd04bucg/media/D-COSP289--WW-ITA-TX6ASD10GUTPCopCb)
Specification Sheets	TX6A-SD 10Gig UTP Copper Cable with MaTriX Technology: COSP289--SA-JPN	US English	PDF 178.04KB (/content/dam/panduit/en/products/assets/p/pu/pur/pur6/pur6asd04bucg/media/D-COSP289--SA-JPN-TX6ASD10gU)	 (/content/dam/panduit/en/products/assets/p/pu/pur/pur6/pur6asd04bucg/media/D-COSP289--SA-JPN-TX6ASD10gUTPCopCbl)
Specification Sheets	TX6A-SD 10Gig UTP Copper Cable with MaTriX Technology: COSP289--WW-RUS	US English	PDF 118.30KB (/content/dam/panduit/en/products/assets/p/pu/pur/pur6/pur6asd04bucg/media/D-COSP289--WW-RUS-TX6ASD10g)	 (/content/dam/panduit/en/products/assets/p/pu/pur/pur6/pur6asd04bucg/media/D-COSP289--WW-RUS-TX6ASD10gUTPCopC)
Installation Documents	TX6A and TX6A-SD 10Gig UTP Copper Cabling System Testing Procedures: PN524B	US English	PDF 359.07KB (/content/dam/panduit/en/products/assets/p/pu/pur/pur6/pur6asd04bucg/media/N-COPN-524--REVB--ENG.pdf)	 (/content/dam/panduit/en/products/assets/p/pu/pur/pur6/pur6asd04bucg/media/N-COPN-524--REVB--ENG.pdf) 
Technical References	Advantages of Using Small Diameter Cables: TR125	US English	PDF 644.35KB (/content/dam/panduit/en/products/assets/p/pu/pur/pur6/pur6asd04bucg/media/D-COTR125--WW-ENG-SDAdvanta)	 (/content/dam/panduit/en/products/assets/p/pu/pur/pur6/pur6asd04bucg/media/D-COTR125--WW-ENG-SDAdvantages.pdf)
Application Notes	Deploying 10GBASE-T as the Low-Cost Patch to the Cloud: ZCAN03--WW-ENG	US English	PDF 808.71KB (/content/dam/panduit/en/products/assets/p/pu/pur/pur6/pur6asd04bucg/media/D-ZCAN03--WW-ENG-10GBASE-TA)	 (/content/dam/panduit/en/products/assets/p/pu/pur/pur6/pur6asd04bucg/media/D-ZCAN03--WW-ENG-10GBASE-TApplicationN)
Catalogs	Preferred Parts Catalog for Mexico - Eng.	US English	PDF 6.30MB (/content/dam/panduit/en/products/assets/p/pu/pur/pur6/pur6asd04bucg/media/D-NCCB64--WW-ENG-EnterPrefParts)	 (/content/dam/panduit/en/products/assets/p/pu/pur/pur6/pur6asd04bucg/media/D-NCCB64--WW-ENG-EnterPrefPartsMEX-WE)
Specification Sheets	TX6A-SD™ 10Gig™ U/UTP Copper Cable with MaTriX Technology: COSP289	US English	PDF 122.56KB (/content/dam/panduit/en/products/assets/p/pu/pur/pur6/pur6asd04bucg/media/D-COSP289--WW-ENG-TX6A-SDUT)	 (/content/dam/panduit/en/products/assets/p/pu/pur/pur6/pur6asd04bucg/media/D-COSP289--WW-ENG-TX6A-SDUTP.pdf)
Selection Guides	TX6A™ 10Gig™ UTP Copper Cabling System with Advanced MaTriX Technology	US English	PDF 738.90KB (/content/dam/panduit/en/products/assets/p/pu/pur/pur6/pur6asd04bucg/media/D-COSG08--WW-ENG-TX6A10GigU)	 (/content/dam/panduit/en/products/assets/p/pu/pur/pur6/pur6asd04bucg/media/D-COSG08--WW-ENG-TX6A10GigUTPSelectC)
Line Cards	Copper Cabling Infrastructure Offering: D-COLC11	US English	PDF 1.53MB (/content/dam/panduit/en/products/assets/p/pu/pur/pur6/pur6asd04bucg/media/D-COLC11--SA-ENG-CableOffering-W)	 (/content/dam/panduit/en/products/assets/p/pu/pur/pur6/pur6asd04bucg/media/D-COLC11--SA-ENG-CableOffering-W.pdf)

Technology Briefs	Power Over Ethernet With Panduit Copper Cabling	US English	PDF 562.98KB (/content/dam/panduit/en/products/assets/p/pu/pur/pur6/pur6asd04bucg/media/D-COTB05--WW-ENG-POEwithPCC)  (/content/dam/panduit/en/products/assets/p/pu/pur/pur6/pur6asd04bucg/media/D-COTB05--WW-ENG-POEwithPCC.pdf)
-------------------	---	------------	--

Related Products



ISFCH5C04ABL-XG

Category 5e, industrial (CM/CMX), 4-pair, SF/UTP copper cable; stranded copper conductors are 24/7 AWG with HDPE insulation. Conductors are twisted in pairs and wrapped with a foam polypropylene tape to form a core. Both pairs are surrounded by an overall braided shield and metallic foil and covered with a TPE jacket for high flex industrial Ethernet applications. The jacket is oil, sunlight, weld splatter, and abrasion resistant for enhanced chemical resistance and mechanical performance. This cable is rated for 600 V panel or on-machine applications when the space is shared with high voltage power cables. (</en/products/copper-systems/cable/cable/isfch5c04abl.html>)



ISFCH5C04ATL-XG

Category 5e, industrial (CM/CMX), 4-pair, SF/UTP copper cable; stranded copper conductors are 24/7 AWG with HDPE insulation. Conductors are twisted in pairs and wrapped with a foam polypropylene tape to form a core. Both pairs are surrounded by an overall braided shield and metallic foil and covered with a TPE jacket for high flex industrial Ethernet applications. The jacket is oil, sunlight, weld splatter, and abrasion resistant for enhanced chemical resistance and mechanical performance. This cable is rated for 600 V panel or on-machine applications when the space is shared with high voltage power cables.
(</en/products/copper-systems/cable/cable/isfch5c04atlxg.html>)



PFC5504WH-G

Shielded copper cable, category 5e F/UTP, CM, 4-pair, conductors are 24 AWG construction with polyethylene (PE) insulation, twisted in pairs, surrounded by an overall metallic foil and protected by a PVC jacket, white.

[\(/en/products/copper-systems/cable/cable/pfc5504whg.html\)](/en/products/copper-systems/cable/cable/pfc5504whg.html)



Email Support

Email support available 24/7

[\(/en/support/contact-us.html\)](/en/support/contact-us.html)



01 800 460 86 00

Monday through Friday 8am-6pm

(tel:800-777-3300)



Where to Buy

Find a Panduit Distributor or Partner

[\(/en/support/where-to-buy/find-a-distributor.html\)](/en/support/where-to-buy/find-a-distributor.html)



GET OUR CATALOG

Download the PDF or request a copy be mailed to you.

Which catalog would you like? ▾

▶ DOWNLOAD ▶ REQUEST COPY



(<https://www.facebook.com/Panduit>)



(<https://plus.google.com/+panduit>)



(<https://twitter.com/Panduit>)



(<https://www.youtube.com/user/PanduitVideos>)



(<http://us.linkedin.com/company/panduit>)

Copyright 2018 Panduit